

Declaration of Conformity

We, the Laufen Bathrooms AG, Postfach 432, CH - 4242 Laufen declare in exclusive responsibility the conformity of:

Features for luminaires

with EN 60598-1:2015+A1:2018; EN 60598-2-1:1989; EN 61547:2009; EN 55015:2013+A1:2015; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 with EN 61347-1:2015; EN 61347-2-13:2014+A1:2017; EN 62471:2008; EN 62493:2015; EN 61547:2009 according EC Directive 72/23 EU; 93/68 EU; 89/336 EU; 92/31 EU; 2014/30 EU; 2014/35 EU

Product	Set	Description	Specification					
H386333	Kartell by Laufen	KARTELL by LAUFEN mirror with ambient light	230V	16.5W	IP44	50Hz	LED	
H389332	Kartell by Laufen	KARTELL by LAUFEN Lamp wall-mounted	230V	8.3W	IP44	50Hz	LED	
H389333	Kartell by Laufen	KARTELL by LAUFEN Pendant lamp	230V	10W	IP44	50Hz	LED	
H389334	Kartell by Laufen	KARTELL by LAUFEN Pendant lamp	230V	10W	IP44	50Hz	LED	
H389335	Kartell by Laufen	KARTELL by LAUFEN Pendant lamp	230V	10W	IP44	50Hz	LED	
H402751	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402752	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402761	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402761	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402762	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402762	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402771	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402772	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402802	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402812	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402822	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402852	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402862	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402872	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402902	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402912	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H402922	Base	Mirror cabinet with light	230V	7W	IP44	50Hz	LED	
H406070	The New Classic	Mirror with ambient light	230V	12.5W	IP44	50Hz	LED	
H408301	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408302	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408311	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408312	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408321	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408322	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408351	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408352	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408361	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408362	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408371	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408372	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408401	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408402	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408411	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408412	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408421	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408422	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408451	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408452	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408461	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408462	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	
H408471	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED	

Marc Viardot
Director Marketing Products

M MANALL



Declaration of Conformity

We, the Laufen Bathrooms AG, Postfach 432, CH - 4242 Laufen declare in exclusive responsibility the conformity of:

Features for luminaires

with EN 60598-1:2015+A1:2018; EN 60598-2-1:1989; EN 61547:2009; EN 55015:2013+A1:2015; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 with EN 61347-1:2015; EN 61347-2-13:2014+A1:2017; EN 62471:2008; EN 62493:2015; EN 61547:2009 according EC Directive 72/23 EU; 93/68 EU; 89/336 EU; 92/31 EU; 2014/30 EU; 2014/35 EU

Product	Set	Description	Specification	Specification					
H408472	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408503	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408513	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408523	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408553	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408563	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408573	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408603	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408613	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408623	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408653	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408663	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408673	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408704	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408714	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408724	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408754	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408764	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H408774	Frame 25	Mirror cabinet with light	230V	13.58W	IP44	50Hz	LED		
H447431	Frame 25	Mirror round with ambient light	230V	13.5W	IP44	50Hz	LED		
H447433	Frame 25	Mirror round with ambient light	230V	21W	IP44	50Hz	LED		
H448411	Il Bagno Alessi One	Mirror cabinet with light	230V	9W	IP44	50/60Hz	T5		
H448421	Il Bagno Alessi One	Mirror cabinet with light	230V	14.3W	IP44	50/60Hz	T5		
H448431	Il Bagno Alessi One	Mirror cabinet with light	230V	30.8W	IP44	50/60Hz	T5		
H448441	Il Bagno Alessi One	Mirror cabinet with light	230V	38.5W	IP44	50/60Hz	T5		
H447451	Frame 25	Lighting	230V	8.16W	IP44	50Hz	LED		
H447452	Frame 25	Lighting	230V	8.16W	IP44	50Hz	LED		
H447461	Frame 25	Lighting	230V	10W	IP44	50Hz	LED		
H447462	Frame 25	Lighting	230V	10W	IP44	50Hz	LED		
H447471	Frame 25	Lighting	230V	11W	IP44	50Hz	LED		
H447472	Frame 25	Lighting	230V	11W	IP44	50Hz	LED		
H447481	Frame 25	Lighting	230V	12W	IP44	50Hz	LED		
H447482	Frame 25	Lighting	230V	12W	IP44	50Hz	LED		
H447491	Frame 25	Lighting	230V	14.88W	IP44	50Hz	LED		
H447492	Frame 25	Lighting	230V	14.88W	IP44	50Hz	LED		
H447501	Frame 25	Lighting	230V	16.8W	IP44	50Hz	LED		
H447502	Frame 25	Lighting	230V	16.8W	IP44	50Hz	LED		
H447511	Frame 25	Lighting	230V	18.72W	IP44	50Hz	LED		
H447512	Frame 25	Lighting	230V	18.72W	IP44	50Hz	LED		
H447521	Frame 25	Lighting	230V	22.56W	IP44	50Hz	LED		
H447522	Frame 25	Lighting	230V	22.56W	IP44	50Hz	LED		
H447531	Frame 25	Lighting	230V	24.48W	IP44	50Hz	LED		
H447532	Frame 25	Lighting	230V	24.48W	IP44	50Hz	LED		
H447541	Frame 25	Lighting	230V	28.32W	IP44	50Hz	LED		
H447542	Frame 25	Lighting	230V	28.32W	IP44	50Hz	LED		
H447551	Frame 25	Lighting	230V	34.08W	IP44	50Hz	LED		

Marc Viardot
Director Marketing Products

or Marketing Products



Declaration of Conformity

We, the Laufen Bathrooms AG, Postfach 432, CH - 4242 Laufen declare in exclusive responsibility the conformity of:

Features for luminaires

with EN 60598-1:2015+A1:2018; EN 60598-2-1:1989; EN 61547:2009; EN 55015:2013+A1:2015; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 with EN 61347-1:2015; EN 61347-2-13:2014+A1:2017; EN 62471:2008; EN 62493:2015; EN 61547:2009 according EC Directive 72/23 EU; 93/68 EU; 89/336 EU; 92/31 EU; 2014/30 EU; 2014/35 EU

Product	Set	Description	Specification				
H447552	Frame 25	Lighting	230V	34.08W	IP44	50Hz	LED
H447561	Frame 25	Lighting made to measure	230V	19.4W/m	IP44	50Hz	LED
H447562	Frame 25	Lighting made to measure	230V	19W/m	IP44	50Hz	LED
H447563	Frame 25	Lighting	230V	10W	IP44	50Hz	LED
H447564	Frame 25	Lighting	230V	15W	IP44	50Hz	LED
H447565	Frame 25	Lighting	230V	20W	IP44	50Hz	LED
H447571	Frame 25	Lighting	230V	13.44W	IP44	50Hz	LED
H447572	Frame 25	Lighting	230V	13.44W	IP44	50Hz	LED
H447611	Leelo	Mirror with Light	230V	5W	IP44	50Hz	LED
H447612	Leelo	Mirror with Light	230V	5.1W	IP44	50Hz	LED
H447613	Leelo	Mirror with Light & Ambient Light	230V	5.1W / 21.3W	IP44	50Hz	LED
H447621	Leelo	Mirror with Light	230V	6W	IP44	50Hz	LED
H447622	Leelo	Mirror with Light	230V	6.8W	IP44	50Hz	LED
H447623	Leelo	Mirror with Light & Ambient Light	230V	6.8W / 23.2W	IP44	50Hz	LED
H447631	Leelo	Mirror with Light	230V	7W	IP44	50Hz	LED
H447632	Leelo	Mirror with Light	230V	7.7W	IP44	50Hz	LED
H447633	Leelo	Mirror with Light & Ambient Light	230V	7.7W / 22.3	IP44	50Hz	LED
H447641	Leelo	Mirror with Light	230V	10W	IP44	50Hz	LED
H447642	Leelo	Mirror with Light	230V	11.1W	IP44	50Hz	LED
H447643	Leelo	Mirror with Light & Ambient Light	230V	11.1 / 26.1	IP44	50Hz	LED
H447651	Leelo	Mirror with Light	230V	11W	IP44	50Hz	LED
H447652	Leelo	Mirror with Light	230V	12.8W	IP44	50Hz	LED
H447653	Leelo	Mirror with Light & Ambient Light	230V	12.8W / 28W	IP44	50Hz	LED
H447661	Leelo	Mirror with Light	230V	12W	IP44	50Hz	LED
H447662	Leelo	Mirror with Light	230V	14.5W	IP44	50Hz	LED
H447663	Leelo	Mirror with Light & Ambient Light	230V	14.5W / 30W	IP44	50Hz	LED
H447671	Leelo	Mirror with Light	230V	14W	IP44	50Hz	LED
H447672	Leelo	Mirror with Light	230V	17.9W	IP44	50Hz	LED
H447673	Leelo	Mirror with Light & Ambient Light	230V	17.9W / 33.8W	IP44	50Hz	LED
H447681	Leelo	Mirror with Light	230V	15W	IP44	50Hz	LED
H447682	Leelo	Mirror with Light	230V	19.6W	IP44	50Hz	LED
H447683	Leelo	Mirror with Light & Ambient Light	230V	19.6W / 35.7W	IP44	50Hz	LED
H447691	Leelo	Mirror with Light	230V	17W	IP44	50Hz	LED
H447692	Leelo	Mirror with Light	230V	23W	IP44	50Hz	LED
H447693	Leelo	Mirror with Light & Ambient Light	230V	23W / 39.6	IP44	50Hz	LED
H447701	Leelo	Mirror with Light	230V	19W	IP44	50Hz	LED
H447702	Leelo	Mirror with Light	230V	28.1W	IP44	50Hz	LED
H447703	Leelo	Mirror with Light & Ambient Light	230V	28.1W 45.3W	IP44	50Hz	LED
H492984	Boutique	Power socket EU IP44	230V		IP44	50/60Hz	
H492985	Boutique	Power socket CH IP44	230V		IP44	50/60Hz	

Marc Viardot
Director Marketing Products

or Marketing Products